

# SONY

## Pressemelding

18.august 2014

### **Skarpere fotografering med Sonys a5100 - Verdens minste kamera<sup>i</sup> med utskiftbar optikk, superrask autofokus og bilder i profesjonell kvalitet**



- **Autofokus med dekningsområde på 179 fokuspunkter, berøringsfokus og berørings sensitiv lukker**
- **Stor, sensitiv 24.3 megapiksel APS-C Exmor™ CMOS sensor og kraftfull BIONZ X™ prosessor for suveren bildekvalitet**
- **Full HD filmatisk videoopptak med Fast Hybrid autofokus**
- **Ny 180° vippebar LCD berørings skjerm**
- **Utvid dine kreative muligheter med en rekke nedlastbare [PlayMemories kamera Apper™](#)**
- **Enkel bilde- og videodeling via Wifi og NFC.**

Krystallklare actionbilder, og portrettbilder med sjel. Filmatisk Full HD opptak, og penere selfies. Alt dette får du med Sonys kompakte lommekamera a5100 – et smart lite kamera med masse bildekraft.

a5100 passer perfekt i hånden, og er verdens minste digitalkamera med utskiftbar optikk, en stor APS-C sensor, innebygget blits og Wifi.

Til tross for sin lille størrelse, er hver tomme av kameraet en seriøs oppgradering fra kameraet på din smarttelefon eller kompaktkamera.

Ingenting får forbi det lynraske hybride AF-system til a5100, det samme som man finner hos a6000, autofokus med dekningsområde på 179 fokuspunkter, som fryser rask handling, ramme for ramme. Selv raske objekter, som lynnedslag eller livlige kjæledyr, kan fanges i skarpe bilder. Å fange øyeblikket er enklere med berøringsfokus og berøringssensitiv lukker. Bare trykk på motivet hvor som helst på LCD-skjermen for å aktivere lukkeren.



Sonys nyeste Exmor CMOS-sensor med 24.3 effektive megapiksler garanterer feilfrie detaljer og teksturer. Det lille kameraet innehar like stor APS-C sensor som større DSLR-kameraer, og med den samme kraftfulle BIONZ X bildesensoren som den kritikerroste a7-serien. Du vil se forskjellen på den fabelaktige lysfølsomheten<sup>ii</sup>, enten du tar stillbilder eller filmer.

Videoopptaket utnytter den fantastiske følsomheten og detaljene i a5100 for filmatisk kvalitet. Støtte for det stadig mer populære XAVC S<sup>iii</sup>-formatet ned 50Mbps sikrer spektakulær Full HD-opptak med fabelaktig lyd kvalitet.

Det er verdens minste kamera med utskiftbar optikk, men a5100 tilbyr en rekke gjennomtenkte detaljer og funksjoner som gjør den daglige fotograferingen enklere og morsommere.

Du kan vippe LCD-skjermen 180° og holde det ergonomisk designede kameraet komfortabelt i armlengdes avstand. Plasser deg selv i rammen med den praktiske zoomspaken, deretter utløser du lukkeren for et perfekt selfie.



Å dele bilder og videoklipp (MP4) med smarttelefon, nettbrett og TV er også enkelt. NFC og Wifi Direct gjør at du kan overføre filer med en enkel berøring til kompatibel Android eller iOS-enhet. Med de trådløse tilkoblingsmulighetene kan du også bruke smarttelefonen eller nettbrettet som en fjernkontroll for selvutløser.



[PlayMemories kamera Apper™](#) fra Sony utvider de kreative mulighetene til a5100 ytterligere. Last ned et rikt utvalg, både gratis og betalte apper, som inkluderer praktiske verktøy, morsomme effekter og imponerende kreative verktøy for profesjonelle fotografer.

Nytt tilbehør består av den matchende LCS-EBD kameravesken – tilgjengelig i tre farger – og den kompakte fjernkontrollen RM-SPR1 som er perfekt når du skal ta selfie med stativ.

### Pris og tilgjengelighet

Det lette og brukervennlige a5100 fra Sony blir tilgjengelig fra slutten av september og vil ha følgende veiledende priser:

| Produkt    |                                | Pris  |
|------------|--------------------------------|-------|
| ILCE5100B  | Body                           | 4.500 |
| ILCE5100LB | With 16-50mm, black            | 5.800 |
| ILCE5100LT | With 16-50mm, titanium         | 5.800 |
| ILCE5100LW | With 16-50mm, white            | 5.800 |
| ILCE5100YB | With 16-50mm + 55-210mm, black | 8.000 |

### ILCE-5100 – tekniske spesifikasjoner

|                                     |              |   |
|-------------------------------------|--------------|---|
| <b>Lens compatibility</b>           |              | Sony E-mount lenses   |
| <b>Image sensor</b>                 |              | APS-C type (23.5 x 15.6mm), Exmor CMOS sensor   |
| <b>Number of pixels (effective)</b> |              | Approx. 24.3 megapixels   |
| <b>Recording format</b>             | <b>Still</b> | JPEG (DCF Ver. 2.0, Exif Ver.2.3, MPF Baseline compliant), RAW (Sony ARW 2.3 format)                    |
|                                     | <b>Movie</b> | XAVC S / AVCHD format Ver. 2.0 compliant / MP4  |
| <b>Media</b>                        |              | Memory Stick PRO Duo, Memory Stick PRO-HG Duo, Memory Stick XC-HG Duo, SD memory card, SDHC memory card |

|   |   |  |
|---|---|--|
|   |   | (UHS-I compliant), SDXC memory card (UHS-I compliant)  |
| <b>Focus system</b>                                 | <b>type</b>   | Fast Hybrid AF(phase-detection AF/contrast-detection AF)   |
|   | <b>Focus point</b>                                  | 179 points (phase-detection AF) / 25 points (contrast-detection AF)  |
|   | <b>Sensitivity range</b>                            | EV-1 to EV20 (ISO100 equivalent with F2.0 lens attached)   |
| <b>Exposure control</b>                             | <b>Metering type</b>                                | 1200-zone evaluative metering  |
|   | <b>ISO sensitivity (Recommended Exposure Index)</b> | Still images: ISO 100-25600 (1/3 EV step),<br>AUTO (ISO 100-25600, selectable lower limit and upper limit)<br>Movies: ISO 100-12800 equivalent (1/3 EV step) / AUTO (ISO 100-12800 equivalent, selectable lower limit and upper limit) |
| <b>Shutter</b>                                      | <b>Shutter speed</b>                                | Still images: 1/4000 to 30 sec, Bulb,<br>Movies: 1/4000 to 1/4(1/3 steps)<br>up to 1/60 in AUTO mode (up to 1/30 in Auto slow shutter mode)  |
|   | <b>Electronic Front Curtain Shutter</b>             | Yes  |
| <b>Drive</b>  | <b>Speed (approx., max.)<sup>iv</sup></b>           | Continuous shooting: Hi: max. 6 fps, Lo: max. 3 fps  |
|   | <b>No. of frame recordable(approx.)<sup>v</sup></b> | JPEG Fine L: 56 frames, JPEG Standard L: 75 frames, RAW: 23 frames, RAW&JPG: 22 frames   |
| <b>LCD</b>  | <b>Type</b>   | 7.5cm (3.0-type) wide type TFT electrostatic touch screen  |
|   | <b>Number of dots (total)</b>                       | 921,600 dots   |
|   | <b>Adjustable angle</b>                             | Up by approx. 180 degrees  |
| <b>Audio</b>  | <b>Microphone</b>                                   | Built-in stereo microphone   |
|   | <b>Speaker</b>                                      | Built-in, monaural   |
| <b>Interface</b>                                    |   | HDMI micro connector (Type-D), Multi / Micro USB Terminal  |
| <b>Wireless LAN (built-in)</b>                      |   | Wi-Fi Compatible, IEEE 802.11b/g/n(2.4GHz band)  |
| <b>NFC</b>  |   | NFC forum Type 3 Tag compatible  |
| <b>PlayMemories Camera Apps</b>                     |   | Yes  |
| <b>Flash</b>  |   | Built-in / Guide No. 4 (in meters at ISO 100, Flash coverage 16mm)   |
| <b>Battery</b>                                      |   | One rechargeable battery pack NP-FW50  |
| <b>Weight</b>                                       |   | With battery and Memory Stick PRO Duo included: Approx. 283 g (approx. 10oz), Body only: Approx. 224 g (approx. 7.9oz)   |
| <b>Dimensions W x H x D (excluding protrusions)</b> |   | approx. 109.6 (W) x 62.8 (H) x 35.7 (D) mm (approx. 4 3/8 x 2 1/2 x 1 7/16 in.)  |
| <b>Operating temperature</b>                        |   | 32 - 104 degrees F / 0 - 40 degrees C  |

Bilder: <https://www.sonynordicimages.net/alpha>



### Environmental Info

Sony is constantly rethinking and re-evaluating its products, processes and potential impact on the planet.

**Product:** Sony is committed to continually reducing the environmental footprint of its products. By the end of FY2015\* we aim to reduce the power consumption of our products by 30 per cent, reduce product mass by 10 per cent and reduce the utilisation ratio of virgin oil-based plastics in our products by 5 per cent.

**Process:** Our processes throughout the supply chain are as environmentally conscious as possible, from product creation to waste disposal. By the end of FY2015\*\*, we aim to reduce CO<sub>2</sub> emissions from Sony Group sites by 30 per cent, reduce the water consumption at Sony sites by 30 per cent and reduce waste generation at sites by 50 per cent. We simultaneously commit to increasing the waste recycling ratio to 99 per cent or more at Sony sites.

**Planet:** Sony is determined that its practices as a business should be environmentally responsible – our long term goal is to achieve a zero environmental footprint throughout the lifecycle of Sony's products and business activities.

Please refer to [www.sony.eu/eco](http://www.sony.eu/eco) for more information on Sony's environmental activities.

\*Compared to the level of the fiscal year ended March 31, 2009

\*\* Compared to the level of the fiscal year ended March 31, 2001

### For mer informasjon, vennligst kontakt:

Hung Tang, Nordic Product Specialist/Trainer Sony

[hung.tang@eu.sony.com](mailto:hung.tang@eu.sony.com) / +45 51 59 60 09

Alexandre Di Caro, Nordic Product Manager Alpha

[alexandre.dicaro@eu.sony.com](mailto:alexandre.dicaro@eu.sony.com) / +46 8 585 45 064

### Eller, for produkttest:

Ida Marie Stakset/ Navigator Kommunikasjon

[Ida@navigator.no](mailto:Ida@navigator.no) / 95130145

### Om Sony

Sony er en verdensledende produsent innenfor lyd, video, spill, kommunikasjons- og informasjonsteknologiske produkter for både forbrukere og profesjonelle. Med sin musikk-, bilde-, dataunderholdning- og online-virksomhet, er Sony unikt posisjonert til å være det ledende elektronikk- og underholdningsselskapet i verden. Sony registrerte en årlig omsetning på ca. 75 milliarder dollar for regnskapsåret som endte 31. mars 2014. For mer informasjon om Sony, vennligst besøk [www.sony.net](http://www.sony.net)

---

<sup>i</sup> Among interchangeable-lens digital cameras equipped with an APS-C equivalent image sensor, built-in flash and Wi-Fi as of August 2014, based on Sony research.

ii Up to ISO25600

iii An SDXC memory card with a Class 10 or higher speed rating is required for XAVC S recording.

iv Varies according to shooting conditions or memory card used

v Continuous drive (Hi) in Drive mode. Varies according to shooting conditions or memory card used